

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS
OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office JAN 24 2014

Returned to applicant for correction _____

Corrected application filed _____ Map filed JAN 24 2014

The applicant Tonopah Resources, Inc.611 Walnut St.of Gadsden

Street Address or PO Box

City or Town

Alabama, 35901

State and ZIP Code

hereby make(s) application for permission to change the

☒ Point of diversion☒ Place of use☒ Manner of use☐ of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 30804 . Certificate 10032 MB/1-29-14

RECEIVED
2014 JAN 24 PM 2:27
STATE ENGINEERS OFFICE

1. The source of water is Underground

Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed 0.85 ~~0.446~~ second feet, 105.12 million gallons annually

Second feet, acre-feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Milling and Mining

Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use

4. The water heretofore used for Milling and Domestic

If for stock, state number and kind of animals.

5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)

SE 1/4 of the NW 1/4 of Section 11, Township 3 North, range 40 East, MDB&M, or at a point from which the Southwest corner of section 11 bears S24d32'13"W a distance of 3718.65 feet.

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)

SE 1/4 of the NE 1/4 of Section 10, Township 3 North, Range 40 East, MDB&M, or at a point from which the Southeast corner of said Section 10 bears S01d16'44"E a distance of 3724.63 feet.

BSV Tonopah Fla.
-137A
25

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

NW 1/4 of the NW 1/4 of Section 11, Township 3 North, Range 40 East, MDB&M

9. Proposed use will be from Jan 1st to Dec 31st of each year.
Month and Day Month and Day

10. Existing use permitted from Jan 1st to Dec 31st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Drill Well, cased, Motor and Pump, 250 feet of pipeline

12. Estimated cost of works \$100,000

13. Estimated time required to construct works 90 days

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 1 year

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Freshwater generated from the onsite well will be utilized for gravity concentration and precious metal extraction from various types of ore.

16. Miscellaneous remarks:

A new processing plant is scheduled for construction in Mid-January 2014. The new facility will be located in the SE 1/4 of the NW 1/4 of Section 11, Township 3 North, Range 40 East, MDB&M

asapsurvey@gmail.com

E-mail Address

1-775-482-4163

Phone No.

Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Kevin D. Haskew

Kevin D. Haskew
Type or print name clearly

Signature, applicant or agent

Advanced Surveying and Professional Services

Company Name

PO Box 3163

Street Address or PO Box

Tonopah, NV 89049

City, State, ZIP Code

Revised 07/13

\$180 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION

RECEIVED
2014 JAN 24 PM 2:27
STATE ENGINEERS OFFICE